

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (original): A process for producing sheetlike individual portions (4', 5', 6') consisting of woven fabric (2) and coated with an originally flow- or brushable coating composition by proceeding from a reel of wound-up woven fabric web, characterized in that the uncoated individual portions (4, 5, 6) are cut out of the woven fabric web and the remaining residual portions (7) of the woven fabric web are discarded as waste, in that the individual portions (4, 5, 6) are placed on a support (9) and underneath a sieve such that they are situated underneath areal fractions of the sieve which are permeable to the coating composition and which sieve is otherwise impermeable, and in that the coating composition is applied to the sieve and is transferred to the individual portions through the areal fractions designed and arranged to be equiareal to the individual portions (4, 5, 6) to be coated.

Claim 2 (original): The process according to claim 1 that is characterized in that a silicone rubber is used as coating composition.

Claim 3 (currently amended): The process according to claim 1 ~~or 2~~ that is characterized in that the mass of coating composition applied is individually adjusted for every individual portion (4', 5', 6').

Claim 4 (currently amended): The use of a process according to ~~claim 1 any one of the preceding claims 1 to 3~~ for producing individual portions (4', 5', 6') of the airbag of an airbag system which consists of a silicone-coated woven fabric.

Claim 5 (currently amended): Apparatus for carrying out the process according to claim 1 ~~any one of the preceding claims 1 to 4~~, characterized by the consecutive arrangement, in the direction of material flow, of a cutting station (1') adapted for cutting to size individual portions (4, 5, 6) out of a woven fabric web and for discarding residual portions (7) of the woven fabric web, a coating station (8) for transferring the coating composition and a heating station (11) for treating the coating composition.

Claim 6 (new): The process according to claim 2 that is characterized in that the mass of coating composition applied is individually adjusted for every individual portion (4', 5', 6').

Claim 7 (new): The use of a process according to claim 2 for producing individual portions (4', 5', 6') of the airbag of an airbag system which consists of a silicone-coated woven fabric.

Claim 8 (new): The use of a process according to claim 3 for producing individual portions (4', 5', 6') of the airbag of an airbag system which consists of a silicone-coated woven fabric.

Claim 9 (new): Apparatus for carrying out the process according to claim 2, characterized by the consecutive arrangement, in the direction of material flow, of a cutting station (1') adapted for cutting to size individual portions (4, 5, 6) out of a woven fabric web and for discarding residual portions (7) of the woven fabric web, a coating station (8) for transferring the coating composition and a heating station (11) for treating the coating composition.

Claim 10 (new): Apparatus for carrying out the process according to claim 3, characterized by the consecutive arrangement, in the direction of material flow, of a cutting station (1') adapted for cutting to size individual portions (4, 5, 6) out of a woven fabric web and for discarding residual portions (7) of the woven fabric web, a

coating station (8) for transferring the coating composition and a heating station (11) for treating the coating composition.

Claim 11 (new): Apparatus for carrying out the process according to claim 4, characterized by the consecutive arrangement, in the direction of material flow, of a cutting station (1') adapted for cutting to size individual portions (4, 5, 6) out of a woven fabric web and for discarding residual portions (7) of the woven fabric web, a coating station (8) for transferring the coating composition and a heating station (11) for treating the coating composition.